

PRE-FINISHED(POWDER COAT) ALUMINUM TERMINATION ANGLES SUPPLIED BY AWNING VENDOR, INSTALLED BY CONTRACTOR

NOTE: TOUCH UP PAINT WHERE CUT IN FIELD

PRE-DRILLED HOLES BY MFR. CONTRACTOR TO INSTALL WITH COUNTER-SUNK GALV. OR S.S. SCREWS

1 1/2"

1"

1"

1 1/2"

1"

1"

END ANGLE

OUTSIDE CORNER

3 INCHES, 2-PIECE COMPRESSION METAL COVER BY DURO-LAST/ EXCEPTIONAL METAL; COLOR: PRE-FINISHED TO MATCH, ES1 COMPLIANCE NO ALTERNATE WILL BE ACCEPTED

Snap-on Base

MIN. 1/2"

PENETRATION MIN. 1"

3/4"

3" COMPRESSION EDGE

MEMBRANE SHOULD EXTEND BEYOND WOOD NAILER BY A MIN. OF 1-1/2 INCH.

*FASTEN 6-INCHES ON CENTER WITH 1/2-INCH LONG ROOFING NAILS. INCREASE FASTENER SPACING TO 3-INCHES ON CENTER AT THE CORNERS OF THE ROOF (10'-0" MIN).

NOTES

1: THE USE OF THIS DETAIL IS NOT TO EXCEED A 2-INCH PER 12-INCH SLOPE.

2: A WOOD NAILER IS REQUIRED IF ONE OR MORE INCHES OF INSULATION IS USED. TOP OF WOOD NAILER IS TO BE FLUSH WITH TOP OF INSULATION. BE SURE THAT THE WOOD NAILER EXTENDS AT LEAST 1/2-INCH BEYOND THE HORIZONTAL EDGE OF THE SNAP-ON BASE.

3: THE FASTENERS USED TO ATTACH THE BASE TO WOOD NAILERS, AND THE MEMBRANE TO THE FACE OF THE NAILERS, MUST BE SPACED NO GREATER THAN 6-INCHES ON-CENTER. THE FASTENER SPACING MUST BE INCREASED TO 3-INCHES ON-CENTER WHEN ATTACHING THE BASE WITHIN 10- FEET (MIN.) OF THE OUTSIDE CORNERS OF THE BUILDING.

4: ALLOW FOR 1/2-INCH EXPANSION GAP BETWEEN 10-FOOT LENGTHS OF SNAP-ON BASE. OVERLAP THE SNAP-ON COVERS BY 2-INCHES BETWEEN 10-FOOT LENGTHS.

17

NOT USED

13

PRE-FINISHED METAL ANGLES

NOT TO SCALE

8

3-INCH HIGH, 2-PIECE COMPRESSION EDGE

401

A

NTS

SINGLE PLY ROOFING MEMBRANE

2-PIECE COMPRESSION DRIP EDGE BY DURO-LAST, REF 8/A-401

T.O. PLATE 22'-0" A.F.F.

EIFS FINISH OVER 1 1/2" EPS INSULATION (STO "STOTHERM" OR EQUAL) OVER WATER/AIR BARRIER SYSTEM OVER 1/2" EXTERIOR SHEATHING

METAL STUDS, REFER STRUCTURAL

SINGLE PLY PARAPET MEMBRANE

PARAPET DETAIL

4

Scale= 1 1/2" = 1'-0"

401

A

17

NOT USED

13

PRE-FINISHED METAL ANGLES

NOT TO SCALE

8

3-INCH HIGH, 2-PIECE COMPRESSION EDGE

401

A

NTS

12" PLYWOOD SHEATHING OVER 2X6 METAL STUDS (TO CORNER)

1'-0"

7"

5"

EIFS FINISH OVER 1 1/2" EPS BOARD OVER WATER/AIR BARRIER SYSTEM

PRE-FINISHED INSIDE CORNER. REF. 13/A-401

(1) LAYER OF 5/8" TYPE X GYP BOARD OVER 2X6 STUDS @ 16" O.C.

(2) LAYERS OF 5/8" TYPE X GYP BOARD BEHIND COOKLINE OVER 6" METAL STUDS @ 16" O.C.

R-7.5 (MIN.) CONTINUOUS RIGID INSULATION

3 5/8" METAL STUDS @ 16" O.C. - REFER STRUCTURAL

COMPOSITE DECKING OVER 1X PVC VERTICAL SLEEPERS/BATTENS @ 16" O.C. OVER WATER/AIR BARRIER SYSTEM. REFER SPECS & SHEET A-201 FOR INSTALLATION SEQUENCE

PRE-FINISHED 1" END ANGLE REF. 13/A-401

30'-0" N.T.S.

PRE-FINISHED OUTSIDE CORNER. REF. 13/A-401

R-20 BATT INSULATION

(1) LAYER OF 5/8" TYPE X GYP. BOARD OVER 3 5/8" METAL STUDS @ 16" O.C. (REFER INTERIOR WALL TYPES)

(1) LAYER OF 5/8" TYPE X GYP. BOARD OVER 6" METAL STUDS @ 16" O.C.

EIFS FINISH OVER 1 1/2" EPS INSULATION (STO "STOTHERM" OR EQUAL) OVER WATER/AIR BARRIER SYSTEM OVER 1/2" EXTERIOR SHEATHING

1/2" CEMENT BOARD SHEATHING - REF. STRUCTURAL PLANS FOR EXTENT OF COVERAGE

16

NOT USED

10

NOT USED

7

NOT USED

401

A

6" METAL STUDS @ 16" O.C. - REF. STRUCTURAL

EIFS SYSTEM WITH 1/2" EPS INSULATION (STO "STOTHERM" OR EQUAL)

G.I. FLASHING UP BEHIND EPS BOARD

STEEL CHANNEL BACKER PLATE REFER STRUCTURAL

6" STEEL STUD BOX-BEAM HEADER REFER STRUCTURAL

EIFS SYSTEM WITH 1/2" EPS INSULATION (STO "STOTHERM" OR EQUAL)

PRE-FAB/ENGINEERED CANOPY PROVIDED & INSTALLED BY G.C. REFER SHEET A-200 & A-201 FOR NATIONAL ACCOUNT INFO

CANOPY ATTACHMENT DETAIL

3

Scale= 1 1/2" = 1'-0"

401

A

R-20 BATT INSULATION

5/8" GYP. BOARD FINISH AS SCHEDULED

STEEL STUD BOX BEAM HEADER - REF. STRUCTURAL

2x2 STAINLESS STEEL CORNER GUARD BY CONTRACTOR - ALL AROUND. WELD ALL JOINTS TO MAKE CONTINUOUS FRAME AT THIS LOCATION ONLY

EIFS FINISH OVER 1 1/2" EPS INSULATION (STO "STOTHERM" OR EQUAL) OVER WATER/AIR BARRIER SYSTEM OVER 1/2" EXTERIOR SHEATHING

ROD & SEALANT IN WEEPS SPACED 16" O.C.

CONT. METAL FLASHING & SEALANT

DRIVE THRU ALUMINUM FRAME WITH 1" INSULATED GLASS

DRIVE - THRU - HEADER DETAIL

2

Scale= 1 1/2" = 1'-0"

401

A

16

NOT USED

10

NOT USED

7

NOT USED

401

A

12" PLYWOOD SHEATHING OVER 6" METAL STUDS (TO CORNER)

1'-0"

6" METAL STUDS

5/8" GYP BD. ON WOOD STUDS. FINISH WALL AS SCHEDULED

COMPOSITE DECKING OVER 1X PVC VERTICAL SLEEPERS/BATTENS @ 16" O.C. OVER WATER/AIR BARRIER SYSTEM. REFER SPECS & SHEET A-201 FOR INSTALLATION SEQUENCE

VERTICAL PVC 1X4 @ 16" O.C. (PAINT FLAT BLACK)

HOLD COMPOSITE DECKING OFF EIFS 1/4" - TYP.

EIFS FINISH OVER 1 1/2" EPS INSULATION (STO "STOTHERM" OR EQUAL) OVER WATER/AIR BARRIER SYSTEM OVER 1/2" EXTERIOR SHEATHING

WOOD STUD FRAMING REFER STRUCTURAL

1'-0"

REFER PLAN

15

NOT USED

9

NOT USED

6

PARAPET DETAIL

401

A

5/8" GYP. BOARD FINISH AS SCHEDULED

STEEL STUD BOX BEAM HEADER - REF. STRUCTURAL

2x2 STAINLESS STEEL CORNER GUARD BY CONTRACTOR - ALL AROUND. WELD ALL JOINTS TO MAKE CONTINUOUS FRAME AT THIS LOCATION ONLY

EIFS FINISH OVER 1 1/2" EPS INSULATION (STO "STOTHERM" OR EQUAL) OVER WATER/AIR BARRIER SYSTEM OVER 1/2" EXTERIOR SHEATHING

ROD & SEALANT IN WEEPS SPACED 16" O.C.

CONT. METAL FLASHING & SEALANT

DRIVE THRU ALUMINUM FRAME WITH 1" INSULATED GLASS

DRIVE - THRU - HEADER DETAIL

2

Scale= 1 1/2" = 1'-0"

401

A

2x2 STAINLESS STEEL CORNER GUARD BY CONTRACTOR - ALL AROUND. WELD ALL JOINTS TO MAKE CONTINUOUS FRAME AT THIS LOCATION ONLY

DRIVE THRU WINDOW UNIT - REF. WINDOW SCHEDULE

BRAKE METAL SILL FLASHING TO EXTEND OVER EIFS BELOW.

1" MIN.

WINDOW SILL 3'-0" A.F.F.

EIFS FINISH OVER 1 1/2" EPS INSULATION (STO "STOTHERM" OR EQUAL) OVER WATER/AIR BARRIER SYSTEM OVER 1/2" EXTERIOR SHEATHING

T.O. WAINSCOT 2'-2" A.F.F.

ADHERED STONE WATER TABLE

CONTINUOUS METAL FLASHING & SEALANT

ADHERED STONE AS SCHEDULED OVER METAL LATH AND SCRATCH COAT OVER WATER/AIR BARRIER SYSTEM

G.I. WEEP SCREED, PAINT TO MATCH METAL FLASHING

R-7 PERIMETER FOOTING - INSULATED ZIP STOP WITH CAULK APPLIED ON TOP

CONCRETE FLATWORK REF. CIVIL

1'-0"

DRIVE - THRU - BASE WALL DETAIL

1

Scale= 1 1/2" = 1'-0"

401

A

15

NOT USED

9

NOT USED

6

PARAPET DETAIL

401

A

6" METAL STUDS

5/8" GYP BD. ON WOOD STUDS. FINISH WALL AS SCHEDULED

COMPOSITE DECKING OVER 1X PVC VERTICAL SLEEPERS/BATTENS @ 16" O.C. OVER WATER/AIR BARRIER SYSTEM. REFER SPECS & SHEET A-201 FOR INSTALLATION SEQUENCE

VERTICAL PVC 1X4 @ 16" O.C. (PAINT FLAT BLACK)

HOLD COMPOSITE DECKING OFF EIFS 1/4" - TYP.

EIFS FINISH OVER 1 1/2" EPS INSULATION (STO "STOTHERM" OR EQUAL) OVER WATER/AIR BARRIER SYSTEM OVER 1/2" EXTERIOR SHEATHING

WOOD STUD FRAMING REFER STRUCTURAL

1'-0"

REFER PLAN

14

NOT USED

11

PLAN DETAIL

Scale= 1 1/2" = 1'-0"

401

A

6" METAL STUD FRAMING, REFER STRUCTURAL

5/8" GYP. BOARD FINISH AS SCHEDULED

R-20 BATT INSULATION

6" METAL STUDS

5/8" GYP BD. ON WOOD STUDS. FINISH WALL AS SCHEDULED

WOOD STUD FRAMING, REFER STRUCTURAL

STOREFRONT AS SCHEDULED

SHIM & SEALANT

EIFS FINISH OVER 1 1/2" EPS INSULATION (STO "STOTHERM" OR EQUAL) OVER WATER/AIR BARRIER SYSTEM OVER 1/2" EXTERIOR SHEATHING

PARAPET DETAIL

6

Scale= 1 1/2" = 1'-0"

401

A

5/8" GYP BD. ON WOOD STUDS. FINISH WALL AS SCHEDULED

WOOD STUD FRAMING, REFER STRUCTURAL

STOREFRONT AS SCHEDULED

SHIM & SEALANT

EIFS FINISH OVER 1 1/2" EPS INSULATION (STO "STOTHERM" OR EQUAL) OVER WATER/AIR BARRIER SYSTEM OVER 1/2" EXTERIOR SHEATHING

PLAN DETAIL

5

Scale= 1 1/2" = 1'-0"

401

A

PANDA EXPRESS

CHINESE KITCHEN

PANDA RESTAURANT GROUP INC.

1683 Walnut Grove Ave.

Rosemead, California 91770

Telephone: 626.799.9898

Facsimile: 626.372.8288

All ideas, designs, arrangement and plans indicated, or represented by this drawing are the property of Panda Express Inc. and were created for use on this specific project. None of these ideas, designs, arrangements or plans may be used by or disclosed to any person, firm, or corporation without the written permission of Panda Express Inc.

REVISIONS:

1ST	CHECKSET	09-23-2016
2ND	PERMIT SET	09-30-2016
3RD	BID SET	12-21-2016

ISSUE DATE:

1ST	CHECKSET	09-23-2016
2ND	PERMIT SET	09-30-2016
3RD	BID SET	12-21-2016

DRAWN BY: SHANTIA RAEESI

PANDA PROJECT #: S8-17-D5084

ARCH PROJECT #: 20160806

GreenbergFarrow

1430 West Peachtree St. NW, Suite 200

Atlanta, GA 30309

t: 404.601.4000

PROFESSIONAL SEAL

PANDA EXPRESS

SILVER BLUFF RD & PINE LOG RD

1065 PINE LOG ROAD

AIKEN, SC 29801

A-401

ARCHITECTURAL DETAILS